



**MANUFACTURE,
EXPORTER & SUPPLIERS
OF PIPES & FITTINGS**

Mini Product Catalog

www.hindustanpipes.co.in

PRODUCT CHART

STAINLESS STEEL

CARBON STEEL

DUPLEX STAINLESS STEEL

ALLOY STEEL

TITANIUM

NICKEL & NICKEL BASED ALLOYS

(INCONEL, MONEL, HASTELLOY, NICHROME, WASPALLOY, NICKEL TITANIUM, SUPERMALLOY, ALLOY 20, PERMALLOY)

COPPER & COPPER BASED ALLOY

(BRASS, BRONZE, CURPONICKEL, ETC.)

PIPE / TUBE FITTINGS

We supply a wide range of precisely engineered stainless steel pipes & tubes, made in compliance with international quality and safety standards. Our range comprises of stainless steel welded pipes & tubes. Available in different dimensions & grades, these stainless steel welded tubes and pipes are widely used in different industries like power, engineering, construction and many more. We offer products at highly competitive prices and deliver consignment within stipulated time.




TUBE

Size	1/2"NB to 24"NB SCH .10,40,80,160
Length	2-4 meters, 4-6 meters, 6-8 meters, 0-2 meters
Type	Seamless, Welded, U-Tubes, Condensor & Heater Tubes, Coils
Brand	Manufacturing & Imported Stock also available
Hallow Sections	Circular, Square, Rectangular, Elliptical

ROUND PIPE

Size	1/2 inch, 3/4 inch, 1 inch, 2 inch, 3 inch
Unit Pipe Length	Customized, 3 meter, 18 meter, 6 meter, 9 meter
Outer Diameter	Customiseds
Thickness	Customised
Certification	BV, ISO, IBR, ROHS
Steel Grade	Customised



SQUARE PIPES

Size	2 inch, 4 inch, 1 inch, 3 inch, 1/2 inch, >4
Unit Length	12 m, 6 m, 18 m, 24m
Surface Finish	Mill Finished, Finished Polished, Brushed, Anodized
Color	Blue, Green, Black, Red
Material Grade	All standard sizes
Technique	ERW, Hot Rolled, Cold Rolled
Pipe Fluid	Chemical, Water, Gas

FLANGES

Our range of industrial flanges are ideal for application in diverse industry for high pressure and temperature applications. These flanges are designed with precision for easy installation. Apart from standard flanges, we also offer custom designed flanges to meet the specific application requirements of the customers.



WELD NECK FLANGES

Stainless Steel	ASTM A479, A182 -202,303,304, 304L, 304H, 316, 316L, 316Ti,309, 310, 310S, 321, 321H, 317, 347, 347H, 904L
Duplex & Super Duplex	F 44, F 45, F51, F 53, F 55, F 60, F 61
Carbon Steel	ASTM A105, A350 LF2, A106 Gr A, B, C, A333 Gr 6, 3
Alloy Steel	ASTM A182 F5, F9, F11, F12, F21, F22, F91, A335 Gr P1, P11, P12, P5, P9
Nickel Alloys	Nickel 200 (UNS No. N02200), Nickel 201 (UNS No. N02201), Monel 400 (UNS No. N04400), Monel 500 (UNS No. N05500), Inconel 800 (UNS No. N08800), Inconel 825 (UNS No. N08825), Inconel 600 (UNS No. N06600), Inconel 625 (UNS No. N06625), Inconel 601 (UNS No. N06601), Hastelloy C 276 (UNS No. N10276), Alloy 20 (UNS No. N08020)
Copper Alloy Steel	C 70600 (Cu-Ni 90/10), C 71500 (Cu-Ni 70/30), UNS No. C 10100, 10200, 10300, 10800, 12000, 12200

LONG WELD NECK FLANGES

Dimensions	ANSI B16.5, ANSI B16.47 Series A & B, MSS SP44, ASA, API-605, AWWA, Custom Drawings
Size	1/2" (15 NB) to 48" (1200NB)
Class	150 LBS, 300 LBS, 600 LBS, 900 LBS, 1500 LBS, 2500 LBS
BS	BS4504 , BS4504, BS1560, BS10 , PN6 , PN10 , PN16 , PN25 , PN40, etc
Table	D / E / F / H / J / K
Api Standards	PSI-2000/3000/5000/10000/etc
JIS Standards	2220-2004 5k/10k/16k, etc
Flange Face Type	Flate Face (FF), Raised Face (RF), Ring Type Joint (RTJ)



SLIP ON FLANGES

Dimensions	ANSI B16.5, ANSI B16.47 Series A & B, MSS SP44, ASA, API-605, AWWA, Custom Drawings
Size	1/2" (15 NB) to 48" (1200NB)
Class	150 LBS, 300 LBS, 600 LBS, 900 LBS, 1500 LBS, 2500 LBS
BS	BS4504 , BS4504, BS1560, BS10 , PN6 , PN10 , PN16 , PN25 , PN40, etc
Table	D / E / F / H / J / K
Api Standards	PSI-2000/3000/5000/10000/etc
JIS Standards	2220-2004 5k/10k/16k, etc
Flange Face Type	Flate Face (FF), Raised Face (RF), Ring Type Joint (RTJ)

BUTTWELD FITTINGS

Buttweld Fitting accomplish a lot of admiration by our clients owing to its high strength, dimensional correctness, high tension power, corrosion resistant and consistency. These products are used in various commercial, industrial and automobile industries. We manufacture these fittings using high grade of raw material by implementing most ultra modern technology. These products are clients can avail from us at various sizes, shapes and design as per the requirements.



STAINLESS & DUPLEX STEEL

Range: 15 NB UP TO 1200 NB IN SCH 5S , 10S ,10, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS.

Form: Seamless & Welded Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg ,Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg , Long Radius & Short Radius Elbow 180 Deg (Return Bend) , Reducing Elbow , Equal Tee , Un Equal Tee, Crosses , Concentric Reducer , Eccentric Reducer , Long Stubend , Short Stubend , Coller , Pipe Cap , Long Radius Bends R =3 D , 5 D , 6 D , 8 D ,10 D & 20 D In 15 Deg ,30 Deg, 60 Deg & 90 Deg And Drawing Bassed Butt Weld Fitting (Customised).

Stainless Steel: ASTM / ASME SA 403 GR WP "S" / "W" / "WX" 304 , 304L ,304H, 304N , 304LN , 309, 310H , 316 , 316H , 317 , 317L , 321 , 321H , 347 , 347 H

Duplex Steel: ASTM / ASME SA 815 UNS NO.S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

CARBON & ALLOY STEEL

Range: 15 NB UP TO 1200 NB IN SCH 5S, 10S , 10, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS.

Form: Seamless & Welded Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg ,Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg , Long Radius & Short Radius Elbow 180 Deg (Return Bend) , Reducing Elbow , Equal Tee , Un Equal Tee, Crosses , Concentric Reducer , Eccentric Reducer , Long Stubend , Short Stubend , Coller , Pipe Cap , Long Radius Bends R =3 D , 5 D , 6 D , 8 D ,10 D & 20 D In 15 Deg ,30 Deg, 60 Deg & 90 Deg And Drawing Bassed Butt Weld Fitting (Customised).

Carbon Steel : ASTM / ASME A 234 WPB , WPC ASTM / ASME A 860 WPHY 42 , WPHY 46 , WPHY 52 , WPH 60 , WPHY 65 & WPHY 70 .

Alloy Steel: ASTM / ASME A 234 WP 1, WP 5, WP 9, WP 11, WP 12, WP 22, WP 23, WP 91





NICKEL & COPPER ALLOY

Range : 15 NB UP TO 1200 NB IN SCH 5S , 10S ,10, 20 , 40S , 40 , STD , 60 , 80S , 80 , XS , 100 , 120 , 140 , 160 & XXS

Form : Seamless / Erw / Welded in Round & Square .

Nickel Alloy:

ASTM / ASME SB 163 UNS 2200 (NICKEL 200)

ASTM / ASME SB 163 UNS 2201 (NICKEL 201) ,

ASTM / ASME SB 163 / 165 UNS 4400 (MONEL 400)

ASTM / ASME SB 464 UNS 8020 (ALLOY 20 / 20 CB 3) ,

ASTM / ASME SB 704/705 UNS 8825 INCONEL (825)

ASTM / ASME SB 167 / 517 UNS 6600 (INCONEL 600)

ASTM / ASME SB 167 UNS 6601 (INCONEL 601) ,

ASTM / ASME SB 704 /705 UNS 6625 (INCONEL 625)

ASTM / ASME SB 619/622/626 UNS 10276 (HASTELLOY C 276)

Copper Alloy :

ASTM / ASME SB 111 UNS NO. C 10100 , 10200 , 10300 , 10800 , 12000,12200, 70600 , 71500 .

ASTM / ASME SB 466 UNS NO. C 70600 (CU -NI- 90/10) , C 71500 (CU -NI- 70/30)

HASTELLOY

Grades : Hastelloy C-22, Hastelloy C-276, Hastelloy C-2000

Standards : ASTM / ASME SB 336 & XXS

Types : Bend (Long & Short)

Elbow (180 Deg., 90 Deg. & 45 Deg.)

Tee (Equal & Unequal)

Reducer (Concentric & Eccentric)

CAP, Stub end (Long &Short)

Nipple (Barrel)



INCONEL

Grades : Inconel 600, Inconel 601, Inconel 625, Inconel 625LCF, Inconel 686, Inconel 718, Inconel 800, Inconel 825, Inconel X-750

Range : 15 NB UP TO 600 NB IN SCH 5S, 10S,10, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS

Types : Elbow 90 Deg, Elbow 45 Deg, Elbow 180 Deg, long/short radius elbows, equal/unequal tees, concentric/eccentric reducers, caps, crosses, short/long neck stub-ends



INCOLOY

Standards : ASTM B366

Types : Bend (Long & Short)
Elbow (180 Deg., 90 Deg. & 45 Deg.)
Tee (Equal & Unequal)
Reducer (Concentric & Eccentric)
CAP, Stub end (Long & Short)
Nipple (Barrel)

MONEL

Grades : Monel 400, Monel k500

Range : 1/2" NB to 36" NB

Types : long/short radius elbows, equal/unequal tees, concentric/eccentric reducers, caps, cross, short/long neck stub-ends,



TITANIUM

Grades : Grade 1, Grade 2, Grade 3, Grade 4, Grade 5, Grade 7, Grade 9, Grade 23

Range : 15 NB To 600 NB in Sch.:5,10,20,40,80,120,160,XS, XXS.

Types :
Bend (Long & Short)
Elbow (180 Deg., 90 Deg. & 45 Deg.) Tee (Equal & Unequal)
Reducer (Concentric & Eccentric)
CAP, Stub end (Long & Short)
Nipple (Barrel)

SOCKETWELD & THREADED FITTINGS

Forged Fitting is high tensile strength, strong, stable, corrosion and rust resistance as well as their high efficiency. We manufacture these forged fittings using premium quality materials in accordance with the quality standards. These products are available in various sizes, shapes and design as per the specific requirements of our clients. Our esteemed clients can avail from us these products at most reasonable prices.



STAINLESS & DUPLEX STEEL

Range : 15 NB UP TO 100 NB IN 2000 LBS , 3000 LBS , 6000 LBS & 9000 LBS , 150 LBS , 250 LBS.

Form :

Socket Weld Fittings : Elbow 90 Deg , Cross , Tee , Elbow 45 Deg , Coupling , Half Coupling & End Cap.

Stainless Steel : ASTM / ASME SA 182 F 304 , 304L , 304H , 309H , 310H , 316 , 316H , 316L , 316 LN , 317 , 317L , 321 , 321H , 347 , 347 H

Duplex Steel: ASTM / ASME SA 182 F 44 , F 45 , F51 , F 53 , F 55 , F 60 , F 61.

CARBON & ALLOY STEEL

Range : 15 NB UP TO 100 NB IN 2000 LBS , 3000 LBS , 6000 LBS & 9000 LBS , 150 LBS , 250 LBS.

Form : Socket Weld Fittings : Elbow 90 Deg , Cross , Tee , Elbow 45 Deg , Coupling , Half Coupling & End Cap.

Carbon Steel : ASTM / ASME A105. ASTM / ASME A 350 LF 2 .

Alloy Steel : ASTM / ASME A 182 GR F 5 , F 9 , F 11 , F 12 , F 22 , F 91.



NICKEL & COPPER ALLOY

Range : 15 NB UP TO 100 NB IN 2000 LBS , 3000 LBS , 6000 LBS & 9000 LBS , 150 LBS , 250 LBS.

Form : Socket Weld Fittings : Elbow 90 Deg , Cross , Tee , Elbow 45 Deg , Coupling , Half Coupling & End Cap.

Nickel Alloy:

ASTM / ASME SB 564 UNS 2200 (NICKEL 200) , UNS 4400 (MONEL 400) , , UNS 8825 INCONEL (825) , UNS 6600 (INCONEL 600) , UNS 6601 (INCONEL 601) , UNS 6625 (INCONEL 625) , UNS 10276 (HASTELLOY C 276)

ASTM / ASME SB 160 UNS 2201 (NICKEL 201) ,
ASTM / ASME SB 472 UNS 8020 (ALLOY 20 / 20 CB 3).

Copper Alloy :

ASTM / ASME SB 61 UNS NO. C 92200 & ASTM / ASME SB 62 UNS NO. C 83600.

ASTM / ASME SB 151 UNS NO. 70600 , 71500 , C 70600 (CU -NI- 90/10) , C 71500 (CU -NI- 70/30) ,

ASTM / ASME SB 152 UNS NO C 10100 , C 10200 , C 10300 , C 10800 , C 12000 , C 12200.





INCONEL

Grades : Inconel 600, Inconel 601, Inconel 625, Inconel 625LCF, Inconel 686, Inconel 718, Inconel 800, Inconel 825, Inconel X-750

Standard : ASTM / ASME SB 564

Types : Elbows, Equal/Unequal Tees, Concentric/Eccentric Reducers, Full/Half Couplings, Reducing Couplings, Caps, Cross, Unions, Hex/Reducing/Flash Bushings, Plugs, Nipples, Swage Nipples, Reducer Inserts, Boss, Laterals Street Elbows & Outlets/Branch Connections (Weldolets, Thredolets, Sockolets, Flexolets, Latrolets, Elbolets, Sweepolets, Insert Weldolets, Nippolets, Brazolets, Coupolets)

MONEL

Grades : Monel 400, Monel k500

Types : Elbows, Equal/Unequal Tees, Concentric/Eccentric Reducers, Full/Half Couplings, Reducing Couplings, Caps, Cross, Unions, Hex/Reducing/Flash Bushings, Plugs, Nipples, Swage Nipples, Reducer Inserts, Boss, Laterals Street Elbows & Outlets/Branch Connections (Weldolets, Thredolets, Sockolets, Flexolets, Latrolets, Elbolets, Sweepolets, Insert Weldolets, Nippolets, Brazolets, Coupolets)



TITANIUM

Types :

- Titanium Union
- Titanium Coupling
- Titanium Full Coupling
- Titanium Cross
- Titanium Forged Elbow
- Titanium Hex Nipple
- Titanium Plug
- Titanium Bushing
- Titanium Boss
- Titanium Insert
- Titanium Adapter
- Titanium Socket
- Titanium Forged Tee
- Titanium Olets
- Titanium Weldolet
- Titanium Sockolet
- Titanium Elbowlet
- Titanium Thredolet
- Titanium Nipolet
- Titanium Latrolet
- Titanium Sweepolet
- Titanium Half Coupling Nipple (Barrel)

TANTALUM

Material : Titanium gr1, gr2, gr5, etc.

Product : Elbow, Tee, Stud End, Reducer

Elbow Type : 45 Deg Elbow, 90 Deg Elbow, 180 Deg Elbow

Tee Type : Straight Tee, Reducing Outlet Tee



OLETS

Hindustan pipes & Fittings is a dynamic group, which was established over a decade ago to cater to growing demands of ASTM A105 Weldolets standards in Weloldet, Nippolets, Sweepolet, Latrolet, Sockolet etc in all materials like Stainless Steel, Carbon Steel & High Nickel Alloys. We Manufacture, Export and Supply Pipe Fittings which meets with national and international quality standards and producing base which owns equipments conforming to international technical level and is well equipped with a whole set of advanced plasma refining equipments. We manufacture all 3 groups of Fittings such as Buttweld (BW) fittings, Socket Weld (SW) fittings Threaded (THD) Fittings as per ASTM standards & other International standards. We export our high quality ASTM A105 Weldolets to Kuwait, Egypt and Qatar.



CARBON STEEL ASTM A105 WELDOLETS

Carbon Steel ASTM A105 Weldolets are branch connection fittings designed for high-pressure piping systems. They provide strong weldability, excellent toughness, and reliable mechanical performance in demanding environments. Ideal for oil & gas, petrochemical, power generation, and industrial applications.

STAINLESS STEEL WELDOLETS

Stainless Steel Weldolets are high-strength branch connection fittings used to join pipes of different sizes. They offer excellent corrosion resistance, weldability, and durability in high-pressure and high-temperature systems. Their contoured design ensures reduced stress and leak-free performance over long service life. Widely used in oil & gas, chemical, power, and industrial process piping applications.




DUPLEX STEEL WELDOLETS

Duplex Steel Weldolets combine high strength with excellent corrosion resistance, making them suitable for aggressive media and chloride-rich environments. They offer superior weldability and durability while reducing the risk of stress corrosion cracking. Commonly used in offshore, petrochemical, desalination, and chemical processing industries. Their dual-phase microstructure ensures enhanced mechanical performance and long service life.

SHEETS & PLATES

We supply a wide range of precisely engineered stainless steel pipes & tubes, made in compliance with international quality and safety standards. Our range comprises of stainless steel welded pipes & tubes. Available in different dimensions & grades, these stainless steel welded tubes and pipes are widely used in different industries like power, engineering, construction and many more. We offer products at highly competitive prices and deliver consignment within stipulated time.




STEEL PLATE

Surface Treatment	All surface treatments
Material Grade	200 series, 300 series and all standard grades
Type	Both plate and coil types
Finish	Hairline Finish
Thickness	0.4 mm - 6.0 mm
Coating	PVC coating normal/laser
Width	1000mm, 1250mm, 1500mm, 2000mm

STEEL SHEETS

Range	0.1 mm to 100 mm
Thickness	0.3 - 120 mm
Finish	Polished
Technique	Cold Rolled



FASTENERS

Our range of industrial fasteners are ideal for application in diverse industry for high pressure and temperature applications. These fasteners are designed with precision for easy installation. Apart from standard fasteners, we also offer custom designed fasteners to meet the specific application requirements of the customers.



BOLTS

Materials	Stainless Steel, Alloy Steel, High Tensile, Duplex Steel, Carbon Steel, Nickel Alloy and other Non-ferrous materials like copper, brass, aluminium, titanium & Zinc.
Standards	ASTM, ASME, ANSI, IS, DIN, ISO, JIS, EN, GB, BS, UNI, UNS and all international standards.
Size Range	M3 TO M160
Fasteners Length	3MM TO 200MM / CUSTOM SIZE (Upto 5 Meters)
Type	STUD BOLTS, HEX HEAD BOLTS, SOCKET HEXAGON HEAD SCREW ANCHOR BOLTS, UBOLTS, J BOLTS, MUSHROOM HEAD SQUARE NECK BOLTS, T- HEAD BOLTS, WING SCREW, EYE BOLT, FOUNDATION BOLTS, STRUCTURAL BOLTS.

WASHERS

Materials	Stainless Steel, Alloy Steel, High Tensile, Duplex Steel, Carbon Steel, Nickel Alloy and other Non-ferrous materials like copper, brass, aluminium, titanium & Zinc.
Standards	ASTM, ASME, ANSI, IS, DIN, ISO, JIS, EN, GB, BS, UNI, UNS and all international standards.
Size Range	M3 TO M160
Fasteners Length	3MM TO 200MM / CUSTOM SIZE (Upto 5 Meters)
Type	PLAIN WASHER, PLAIN BIG & SMALL OD WASHER, SPRING LOCK WASHER, SPRING WASHER HEAVY DUTY, TOOTH WASHER, STAR WASHER, TAB WASHER WITH ONE & TWO TAB.





NUTS

Materials	Stainless Steel ,Alloy Steel,High Tensile, Duplex Steel,Carbon Steel,Nickel Alloy and other Non-ferrous materials like copper, brass, aluminium, titanium & Zinc.
Standards	ASTM, ASME, ANSI, IS, DIN, ISO, JIS, EN, GB, BS, UNI, UNS and all international standards.
Size Range	M3 TO M160
Fasteners Length	3MM TO 200MM / CUSTOM SIZE (Upto 5 Meters)
Type	HEXAGON NUTS, HEXAGON COUPLING NUTS, HEXAGON THIN NUT, SQUARE NUT, HEXAGON CASTLE NUTS, SELF LOCKING NUT, HEXAGON DOMED CAP NUTS

SCREW

Materials	Stainless Steel ,Alloy Steel,High Tensile, Duplex Steel, Carbon Steel, Nickel Alloy and other Non-ferrous materials like copper, brass, aluminium, titanium & Zinc.
Standards	ASTM, ASME, ANSI, IS, DIN, ISO, JIS, EN, GB, BS, UNI, UNS and all international standards.
Size Range	M3 TO M160
Fasteners Length	3MM TO 200MM / CUSTOM SIZE (Upto 5 Meters)
Type	PAN HEAD SLOTTED SCREWS , CHEESE HEAD SLOTTED SCREWS, COUNTERSUNK HEAD SLOTTED SCREWS, COUNTERSUNK RAISED HEAD SLOTTED SCREWS, PAN PHILLIPSE HEAD SCREW, COUNTERSUNK PHILLIPSE RAISED HEAD SCREWS, SLOTTED CHEESE TRIM HEAD MACHINE SCREWS, SOCKET HEAD ALLEN CAP SCREWS, ALLEN COUNTERSUNK SOCKET HEAD CAP SCREWS, SOCKET HEAD SHOULDER SCREWS, SOCKET HEAD CAP SCREW LOW HEAD, HEXAGON SOCKET SET SCREW WITH FLAT POINT, HEXAGON SOCKET SET SCREWS WITH CONE POINT, HEXAGON SOCKET SET SCREW WITH DOG POINT, HEXAGON SOCKET SET SCREWS WITH DOG POINT, HEXAGON SOCKET SET SCREWS WITH CUP POINT, IMPRIAL SOCKET CAP SCREWS.





Hindustan
Pipes & Fittings

+91 93722 14454

**30, 180/184, Contractor Building, Vitthalbhai Patel Road,
Tilak Nagar, Girgoan, Mumbai - 400 004**

**info@hindustanpipes.co.in
sales@hindustanpipes.co.in**

